

# TM-ELEGANCE

## APPEALING & INEXPENSIVE

Guaranteed to meet a wide range of customer requirements

Completely assembled delivery\* – ready for use right away



Drawer cabinets with full extension



High-quality sheet  
steel construction

5-year guarantee  
and ISO-certified  
production

Matching  
grey corners on  
the handles

Elegant design thanks to  
the colour combination of light  
grey and anthracite grey

**Light grey:** RAL 7035 (housing/frames)  
**Anthracite grey:** RAL 7016 (fronts/doors)



## Drawer cabinets and utility trolleys

- + Load capacity of 400 to 4000 kg with an evenly distributed load
- + Drawer load capacity of 75 kg
- + Drawer handle with large labelling area
- + Drawer usable areas: Width 805 mm = 0.42 m<sup>2</sup>, 1005 mm = 0.54 m<sup>2</sup>
- + Full drawer extension
- + KEY Lock – our standard locking system with 2 keys





Art. no.  
**81.557.516**



Art. no.  
**53.472.516**



Art. no.  
**81.569.516**



Art. no.  
**81.570.516**



Art. no.  
**84.118.200**



## Drawer cabinets

### Fittings

	Width mm	Depth mm	Height mm	kg	Art. no.
<b>6 drawers</b> (2 × 100, 2 × 150, 2 × 200 mm)	805	695	1000	4000	<b>53.472.516</b>
<b>7 drawers</b> (2 × 75, 2 × 100, 1 × 150, 2 × 200 mm)	805	695	1000	4000	<b>81.557.516</b>
<b>9 drawers</b> (2 × 75, 6 × 100, 1 × 150 mm)	805	695	1000	4000	<b>81.569.516</b>
<b>7 drawers</b> (5 × 100, 2 × 200 mm)	1005	695	1000	4000	<b>81.570.516</b>


## Utility trolley

**3 storage surfaces** (2 permanently mounted, 1 height-adjustable)

**1 raised edge with ribbed mat, 1 push handle** (chrome-plated),

**2 fixed and 2 swivel castors made of rubber with locking brake** (Ø 100 mm)

565	725	810	75	<b>84.118.200</b>
-----	-----	-----	----	-------------------



Foam inserts.

Lengthwise and transverse dividers incl. label holders.

Plastic boxes incl. label holders.

## Partition material

### Matching

	<b>1</b>	<b>2</b>	<b>3</b>	Art. no.
<b>53.472.516</b>		•		<b>53.437.000</b>
<b>81.557.516</b>	•	•		<b>17.589.000</b>
<b>81.569.516</b>	•	•		<b>17.590.000</b>
<b>81.570.516</b>	•	•		<b>17.591.000</b>



## Workbenches and compact workbenches

- + Load capacity of 360 to 1500 kg with an evenly distributed load
- + Workbench leg assemblies made of square tubing 50 × 50 mm
- + Workbench frame made from steel profile 40 × 40 mm
- + Mounting brackets for floor screw connection and height adjustment can be retrofitted
- + Workbench top, multiplex 40 mm
- + Full drawer extension
- + Drawer usable areas 500 × 600 mm = 0.30 m<sup>2</sup>
- + Drawer load capacity of up to 75 kg









Art. no.  
51.050.020



Art. no.  
52.193.020



Art. no.  
81.573.516



Art. no.  
52.190.516

## Workbenches

Fittings

**2 workbench leg assemblies and multiplex top (40 mm)**

**1 workbench leg assembly, 1 drawer cabinet with 4 drawers (2 × 150, 2 × 200 mm) and multiplex top (40 mm)**

Width mm	Depth mm	Height mm	kg	Art. no.
1500	700	840	600	<b>51.048.020</b>
2000	700	840	360	<b>51.050.020</b>
1500	700	840	1500	<b>81.573.516</b>
2000	700	840	800	<b>81.574.516</b>

## Mobile workbenches

**2 workbench leg assemblies with fixed castors (solid rubber, Ø 100 mm), Push bar and multiplex top (40 mm)**

**2 workbench leg assemblies with fixed castors (solid rubber, Ø 100 mm), 1 drawer (1 × 150 mm), Push bar and multiplex top (40 mm)**

1075	700	975	400	<b>52.193.020</b>
1075	700	975	400	<b>52.190.516</b>



Foam inserts.

Lengthwise and transverse dividers incl. label holders.

Plastic boxes incl. label holders.

## Partition material

Matching

**81.573.516**

**81.574.516**

**1**

**2**

**3**

Art. no.

**17.592.000**

**17.592.000**





Art. no.  
85.204.516



Art. no.  
85.203.516



Art. no.  
85.207.516



Art. no.  
53.711.516



## Compact workbenches

### Fittings

**3 drawers** (3 × 200 mm, 65 kg), **1 adjustable shelf** (galvanised, 30 kg), **1 door** (600 mm), **1 push handle** and **2 fixed and 2 swivel castors with locking brakes** (solid rubber, Ø 100 mm) and **multiplex top** (40 mm)

Width mm	Depth mm	Height mm	kg	Art. no.
1250	700	880	400	85.204.516

**3 drawers** (3 × 200 mm, 65 kg), **1 adjustable shelf** (galvanised, 30 kg), **1 door** (600 mm) and **leg assemblies with height compensation and multiplex top** (40 mm)


1500	700	840	1000	85.203.516
------	-----	-----	------	------------

**3 drawers** (3 × 200 mm, 65 kg), **2 adjustable shelves** (galvanised, 30 kg), **2 doors** (600 mm) and **leg assemblies with height compensation and multiplex top** (40 mm)

2000	700	840	1000	85.207.516
------	-----	-----	------	------------

**2 drawers** (2 × 200 mm, 75 kg), **2 adjustable shelves** (galvanised, 60 kg), **2 doors** (500 mm), **1 push handle** and **2 fixed and 2 swivel castors with locking brake** (solid rubber, Ø 100 mm) and **multiplex top** (40 mm)

1500	700	1030	600	53.711.516
------	-----	------	-----	------------





## Hinged and sliding door cabinets

- + Can be expanded and adjusted at any time by adding modules
- + Load capacity of 500 to 4000 kg with an evenly distributed load
- + Solid sheet hinged doors with rotary-type security lock
- + Solid sheet sliding doors, double folded and reinforced with KEY Lock including 2 keys
- + Galvanised adjustable shelves with 60 to 75 kg load capacity
- + Drawer load capacity of 75 kg





Art. no.  
**82.947.516**



Art. no.  
**53.204.516**



Art. no.  
**53.598.516**



Art. no.  
**58.749.516**




Art. no.  
**58.747.516**

## Hinged door cabinets

Equipment / model

**4 adjustable shelves (60 kg)**

Width mm	Depth mm	Height mm	 kg	Art. no.
1000	400	1950	500	<b>82.947.516</b>
1000	500	1950	500	<b>62.487.516</b>

## Powered hinged door cabinets

2 power strips with On/Off switch, mounted on side panel, 4 adjustable shelves (60 kg)

<b>DE/AT/NL</b> (Schuko, 2 × 5-socket 230V)	1000	580	1950	500	<b>53.203.516</b>
<b>CH</b> (2 × 4-socket 230V*)	1000	580	1950	500	<b>53.204.516</b>
<b>FR/BE</b> (2 × 5-socket 230V)	1000	580	1950	500	<b>53.205.516</b>
<b>GB/IR</b> (2 × 5-socket 230V)	1000	580	1950	500	<b>85.241.516</b>

\* Incl. thermal fuse according to CH-regulation.

## TM Modular drawer storage wall

**Pallet base (without front panel), 2 adjustable shelves (75 kg), 6 drawers (2 × 100, 2 × 150, 2 × 200 mm)**

805	695	2100	1000	<b>53.598.516</b>
-----	-----	------	------	-------------------

## Sliding door cabinets

**2 adjustable shelves (60 kg)**

1000	400	1000	500	<b>58.747.516</b>
1000	500	1000	500	<b>58.756.516</b>
1000	400	1950	500	<b>58.748.516</b>
1000	500	1950	500	<b>58.749.516</b>

**4 adjustable shelves (60 kg)**



## Clothes lockers

- + Solid sheet hinged doors including 2 keys
- + Adjustable and pull-out shelves – adjustable according to requirements
- + Storage option according to DIN 4547-2011
- + Load capacity of up to 500 kg with an evenly distributed load
- + KEY Lock locking system or rotary-type security lock





Art. no.  
53.260.516



Art. no.  
53.259.516



Art. no.  
53.079.516

## Clothes lockers

Equipment per compartment

**1 solid sheet hinged door** (right-hinged, fulcrum pin stored),  
**1 hat rack** (25 kg), **1 clothes rack** (3 hooks), **1 towel holder**,  
**KEY Lock**, **ventilation slits** (on housing cover/base)

Width mm	Depth mm	Height mm	Compartment- ments	Art. no.
900	500	1800	3	53.259.516
1200	500	1800	4	53.260.516

## Clothes locker with hinged doors

**2 solid sheet hinged doors**, **4 adjustable shelves** (galvanised, 60 kg),  
**1 clothes rack** (3 hooks), **rotary-type security lock**

1000	500	1950	1	53.079.516
------	-----	------	---	------------



### Optionally available



#### Versatile locking systems

Cylinder locks, number combination locks, coin deposit locks, locking systems for padlocks and other locking systems are available on request.







Art. no.  
**85.346.020**



Art. no.  
**85.345.020**



Art. no.  
**69.981.020**

## Clean Stations

### Fittings

#### Safe-Clean

With roller shutter, perforated rear panel (usable height 900 mm)  
3 waste bins made of polypropylene (60 l)

#### Easy-Clean

Open, perforated rear panel (usable height 900 mm)  
3 waste bins made of polypropylene (60 l)

#### Smart-Clean

1 adjustable shelf, perforated rear panel (usable height 700 mm)  
2 waste bins made of polypropylene (60 l), spray can holder and paper roll holder

	Width mm	Height mm	Height mm	 kg	Art. no.
Safe-Clean	1005	580	2120	400	<b>85.346.020</b>
Easy-Clean	1005	500	1770	400	<b>85.345.020</b>
Smart-Clean	715	710	1600	400	<b>69.981.020</b>



**Combine your clean stations with matching accessories for the perforated rear panel. More information can be found in our main catalogue.**



## Workshop Trolley PRO

Improved equipment, more functions and increased ergonomics: The **Workshop Trolley PRO** – from our **TM WORKMAN product line** – offers you even more benefits with its sturdy and high-quality steel plate construction, a chrome steel and plastic storage surface and soft-close drawers. The perfect solution for any professional or private workshop.




**ONLY  
WHILE  
STOCKS  
LAST**

- + Additional storage space and work surfaces
- + Optimum load capacities of 40 kg per drawer and a load capacity of 250 kg for the castors
- + Robust, ergonomic push handle
- + Full mobility thanks to the smooth-running fixed and swivel castors (two of each) in solid rubber
- + Perfect work safety thanks to locking device that prevents unintentional opening in transport
- + Optional accessories, such as plastic boxes and extensive accessories for hanging on the perforated side panel\*

### Workshop Trolley PRO

Fittings

Cover made of chrome steel and plastic, central lock including 2 keys, 6 drawers (4 × 75, 1 × 150, 1 × 200 mm, 40 kg), pair of castor supports (height 180 mm, Ø 125 mm)

Width mm	Height mm	Height mm	 kg	Art. no.
850	535	955	250	80.718.502



## Packing tables

- + Powder-coated surfaces
- + Can be expanded at any time with products from the main catalogue
- + Fast and easy assembly
- + Packing table top made of resin, 40 mm
- + Load capacity of 200 kg with an evenly distributed load
- + Load capacity of superstructures 50 kg
- + Height-adjustable packing table legs, 740 – 1090 mm





Art. no.  
55.790.200



Our packing table models are also available in a mobile version. More information can be found in our main catalogue




Art. no.  
55.791.502





Art. no.  
55.792.502

## Packing tables

Fittings

	Width mm	Depth mm	Height mm		Art. no.
2 packing table legs	1500	800	740 – 1090	200	55.790.200
2 packing table legs, 1 packing table superstructure with 2 support pillars, 1 perforated rear panel, 2 adjustable shelves (50 kg) and 10 compartment dividers	1500	800	740 – 1090	200	55.791.502
2 packing table legs, 1 packing table superstructure with 2 support pillars, 1 perforated rear panel, 2 adjustable shelves (50 kg), 10 compartment dividers, 1 paper roll holder and 1 cutter	1500	800	740 – 1090	200	55.792.502





# THUR EXPRESS

OUR BEST OFFERS FOR YOU!

**The use of high-quality materials, state-of-the-art machine technology and environmentally sustainable production processes, ongoing quality control and a highly motivated team of employees guarantee durability in timeless design at an impressive price/performance ratio.**

- **Quality**

Thur Metall drawer cabinets made of high-quality sheet steel with matching workbenches are favourites in industry and business. In assembly halls and workshops, in research labs, museums and hospitals, in small-parts warehouses and showrooms: Thur Metall is a must wherever tools, warehouse goods and small parts are required and offers an optimised space-saving solution for easy access.

- **5-year warranty**

You can rely on our quality products. That's why we offer our customers a 5-year warranty on the entire range of Thur Metall products. Workbench tops and electronic parts are covered by a warranty period of 1 year.

- **Certified production**

Manufacturing of Thur Metall products is based on the following standard principles:

**ISO 9001:** Quality management.

**ISO 14001:** Environment management system.

**ISO 45001:** Occupational health and safety management system.

- **We guarantee high-quality surfaces**

Using the latest powder coating technology for high abrasion resistance.

**Only available from the specialist trade**



**THURMETALL**  
Customised as standard