

TM *Elegance* Unique, timeless and chic!

























Thur Metall Elegance Compact and affordable





Characteristics

anthracite grey, RAL 7016



Compact rangeGuaranteed to meet a wide range of customer requirements



Uncompromising quality 5-year guarantee and ISO-certified production

Drawer cabinet

Height 1000 × width 805 × depth 695 mm

 Colour
 Art. no.

 RAL 7035
 RAL 7016
 53.472.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 6 drawers (front heights 2 x 100 mm / 2 x 150 mm / 2 x 200 mm),
 75 kg load capacity, full extension runner
- Usable area per drawer = 700 × 600 mm = 0.42 m²
- "Key Lock" locking system with single-drawer blocking system, incl. two keys

Partition material

6 × lengthways partitioning 20 × horizontal partitioning

Product Art. no.

Set for drawer cabinet 53.437.000

2×FH 100mm 2×FH 150mm 2×FH 200mm

6 × lengthways partitioning 16 × horizontal partitioning





Drawer cabinet

Height **1000** × width **805** × depth **695** mm

 Colour
 Art.no.

 RAL 7035
 RAL 7016
 81.557.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 7 drawers (front heights 2×75 mm / 2×100 mm, 1×150 mm / 2×200 mm), 75 kg load capacity, full extension runner
- Usable area per drawer = $700 \times 600 \,\text{mm} = 0.42 \,\text{m}^2$
- "Key Lock" locking system with single-drawer blocking system, including two keys

Partition material

Product Art.no.

Set for drawer cabinet 17.589.000

1×FH 75 mm 1×FH 75 mm 2×FH 100 mm

1×foam insert 4×lengthways partitioning 11×horizontal partitioning 22×horizontal partitioning 22×horizontal partitioning 21×FH 150 mm













Drawer cabinet

Height **1000** × width **805** × depth **695** mm

Colour RAL 7035 RAL 7016 81.569.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 9 drawers (front heights $2 \times 75 \,\text{mm} / 6 \times 100 \,\text{mm} / 1 \times 150 \,\text{mm}$), 75 kg load capacity, full extension runner
- Usable area per drawer = $700 \times 600 \,\text{mm} = 0.42 \,\text{m}^2$
- "Key Lock" locking system with single-drawer blocking system, including two keys

1 × FH 150 mm

Partition material

1× foam insert

Product Art. no. Set for drawer cabinet 17.590.000 1×FH 75 mm 1×FH 75 mm 3×FH 100 mm 3 × FH 100 mm







Drawer cabinet

Height **1000** × width **1005** × depth **695** mm

Colour Art.no. RAL 7035 RAL 7016 81.570.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 7 drawers (front heights 5 × 100 mm / 2 × 200 mm), 75 kg load capacity, full extension runner
- Usable area per drawer = $900 \times 600 \,\text{mm} = 0.54 \,\text{m}^2$
- "Key Lock" locking system with single-drawer blocking system, including two keys

Partition material

Product Art.no. Set for drawer cabinet 17.591.000





2 × FH 100 mm











12 × lengthways partitioning 28 × horizontal partitioning

16×lengthways partitioning 36×horizontal partitioning

3 × lengthways partitioning 4 × horizontal partitioning

Drawer cabinet

Height **1000** × width **1005** × depth **695** mm

 Colour
 Art. no.

 RAL 7035
 RAL 7016
 52.530.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 9 drawers (front heights 9 x 100 mm), 75 kg load capacity, full extension runner
- Usable area per drawer = $900 \times 600 \,\text{mm} = 0.54 \,\text{m}^2$
- "Key Lock" locking system with single-drawer blocking system, including two keys



Partition material

Product Art.no.

Set for drawer cabinet 55.863.000

9×FH 100mm



45×lengthways partitioning 54×horizontal partitioning incl. inscription holder

Machine cabinet

Height 1017×width 805×depth 724 mm

 Colour
 Art. no.

 RAL 7035
 RAL 7016
 52.526.516

Specifications

- High-quality steel plate construction
- Total load capacity 4000 kg with an evenly distributed load
- 2 drawers (front heights 2 x 100 mm), 75 kg load capacity, full extension runner
- Usable area per drawer = $700 \times 600 \,\text{mm} = 0.42 \,\text{m}^2$
- Drawer handle with large labelling area
- "Key Lock" locking system with single-drawer blocking system, including two keys
- 2 hinged doors with cylinder lock, height 670 mm
- 2 pull-out shelves, pigeon grey NCS S 4502 B, load capacity 200 kg
- Raised edges with ribbed mat

Partition material

Product Art.no.
Set for drawer cabinet 55.868.000

1×FH 100 mm



35 × insert boxes incl. inscription holder



6×lengthways partitioning 14×horizontal partitioning









Tool trolley

Height $928 \times \text{width } 894 \times \text{depth } 650 \,\text{mm}$

Specification	Colour		Art.no.
5 drawers ($2 \times 75 / 1 \times 150 / 2 \times 200$ mm) without edge protection, storage surface multiplex 40 mm			52.037.516
5 drawers $(2 \times 75 / 1 \times 150 / 2 \times 200 \text{ mm})$ with edge protection and storage surface in plastic, black	RAL 7035	RAL 7016	52.048.516
7 drawers $(4 \times 75 / 2 \times 100 / 1 \times 200 \text{ mm})$ with edge protection and storage surface in plastic, black			51.586.516

Specifications

- High-quality steel plate construction
- With a choice of 5 or 7 drawers, 40 kg load capacity
- Usable area per drawer = 0.28 m²
- Drawers with full extension and single-drawer blocking system, can be operated with one hand
- Edge protection and storage surface made from abrasion-resistant plastic
- Set of castors with 2 fixed and 2 swivel castors with locking brakes (solid rubber), 100 mm, 400 kg load capacity
- Side-mounted push handles
- Key Lock locking system incl. 2 keys
- Supplied fully assembled











Partition material

Product	Specification	for front height	Art. no.
HHH	18 parts, $H = 46 \text{ mm}$ 12 plastic boxes (150 × 75 mm), 6 plastic boxes (150 × 150 mm), in plastic, red	75 mm	100.293.000
	23 parts, divider set 36 × 27 E 5 lengthwise and 18 crosswise dividers	75 mm	100.951.000
	11 parts, divider set 36 × 27 E 3 lengthwise and 8 crosswise dividers	100 mm	80.651.000



Utility trolley

Height **810** × width **564** × depth **725** mm

 Colour
 Art.no.

 RAL 7016
 84.118.200

Specifications

- High-quality steel plate construction
- Total load capacity 400 kg with an evenly distributed load
- 2 fixed shelves
- 1 height-adjustable shelf
- 1 raised edge with ribbed mat and push bar (chrome-plated)
- Set of castors in solid rubber consisting of 2 fixed and 2 swivel castors with locking brakes, ø 100 mm



"Chrome-plated" push handle

Mobile workbench

Height $975 \times \text{width } 1075 \times \text{depth } 700 \, \text{mm}$

 Colour
 Art. no.

 RAL 7035
 52.193.020

 RAL 7035
 RAL 7016
 52.190.516

Fittings

- Legs made from square tubular steel 50/50 mm
- 2 swivel and 2 fixed castors, ø 100 mm, solid rubber, grey
- Multiplex table top, 40 mm
- Multiplex storage shelf, 20 mm
- Optionally with drawer (FH: 150 mm)
- 100 % full extension, load capacity 75 kg, incl. bolt lock with two keys
- perforated rear panel, 1000×700 (W×H) available on request





Standard workbench

Height 840 × depth 700 mm

Colour RAL 7016
 Width
 Art. no.

 1500 mm
 51.048.200

 2000 mm
 51.050.200

Specifications

- Workbench leg assembly made from square tubular steel 50/50mm.
 Can be retrofitted with height adjustment and mounting brackets for screwing to the floor.
- Workbench top: multiplex, 40 mm
- Total load capacity 450 kg (W = 1500 mm) and 290 kg (W = 2000 mm) with an evenly distributed load



Standard workbench

Height 840 × depth 700 mm

Colour		Width	Art. no.
RAL 7035 RAL 7016	1500 mm	81.573.516	
	2000 mm	81.574.516	







Product Art. no.

Set for standard workbench 17.592.000

2×FH 150mm 1×FH 200mm 1×FH 200mm
2×lengthways partitioning 4×horizontal partitioning 2×horizontal partitioning material

Specifications

- Workbench top: multiplex, 40 mm
- Total load capacity 600 kg (W=1500 mm) and 360 kg (W=2000 mm) with an evenly distributed load
- 4 drawers (front heights 2 x 150 mm/2 x 200 mm), load capacity 75 kg, full extension 100 %
- Usable dimension per drawer: 500 × 600 mm = 0.30 m²
- "Key Lock" locking system with single-drawer blocking system, including two keys

System workbench

Height 877 × width 1250 × depth 700 mm

 Colour
 Art. no.

 RAL 7035
 RAL 7016
 85.204.516

Specifications

- Workbench frame made from high-quality sheet steel
- Capacity 400 kg with an evenly distributed load
- Workbench top: multiplex, 40 mm
- 3 drawers (front height 3×200mm), with pull-out stop, partially extendable to approx. 90%, load capacity 65kg
- Usable dimension per drawer: 459 × 510 mm = 0.23 m²
- Drawer handle with large labelling area
- 1 door (front height 600 mm)
- 1 mezzanine floor, galvanised
- Central lock including Huwil cylinder with two keys
- Set of castors in solid rubber consisting of 2 fixed and 2 swivel castors with locking brakes, ø 100 mm
- 1 black plastic push handle





System workbench

Height 840 × width 1500 × depth 700 mm

 Colour
 Art. no.

 RAL 7035
 RAL 7016
 85.203.516

Specifications

- Workbench frame made from high-quality sheet steel
- Capacity approx. 1000 kg with an evenly distributed load
- Legs with height compensation
- Workbench top: multiplex, 40 mm
- 3 drawers (front height 3 x 200 mm), partially extendable to approx. 90 %, load capacity 65 kg
- Usable dimension per drawer: 459 × 510 mm = 0.23 m²
- 1 door (front height 600 mm)
- 1 mezzanine floor, galvanised
- Drawer handle with large labelling area
- Central lock including Huwil cylinder with two keys



Partition material

Product Art. no.

Set for a drawer 41.479.000

1×FH 200mm



2 × lengthways partitioning 6 × horizontal partitioning



System workbench

Height $840 \times \text{width } 2000 \times \text{depth } 700 \text{ mm}$

 Colour
 Art.no.

 RAL 7035
 RAL 7016
 85.206.516



Specifications

- Workbench frame made from high-quality sheet steel
- Capacity approx. 1000 kg with an evenly distributed load
- Legs with height compensation
- Workbench top: multiplex, 40 mm
- 3 drawers (front height 3 x 200 mm), partially extendable to approx. 90 %, load capacity 65 kg
- Usable dimension per drawer: 459 x 510 mm = 0.23 m²
- Drawer handle with large labelling area
- 1 door (front height 600 mm)
- 1 mezzanine floor, galvanised
- Central lock including Huwil cylinder with two keys

Partition material

Product Art.no.

Set for a drawer 41.479.000

1×FH 200mm



 $2 \times$ lengthways partitioning $6 \times$ horizontal partitioning



System workbench

Height **840** × width **2000** × depth **700** mm

Colour Art.no.

RAL 7035 RAL 7016 **85.207.516**



Specifications

- Workbench frame made from high-quality sheet steel
- Capacity approx. 1000 kg with an evenly distributed load
- Legs with height compensation
- Workbench top: multiplex, 40 mm
- 3 drawers (front height 3×200 mm), partially extendable to approx. 90 %,
- load capacity 65 kg
- Usable dimension per drawer: $459 \times 510 \,\text{mm} = 0.23 \,\text{m}^2$
- Drawer handle with large labelling area
- 2 doors (front height 600 mm)
- 2 mezzanine floors, galvanised
- Central lock including Huwil cylinder with two keys

Partition material

Product Art.no.
Set for a drawer 41.479.000

1×FH 200mm



2×lengthways partitioning 6×horizontal partitioning

Clothes lockers

Height 1800 × depth 500 mm

Colour		Compartments	Width	Art.no.
RAL 7035 RAL 7016	3	900 mm	A 53.259.516	
	4	1200 mm	A 53.260.516	

Specifications per compartment

- High-quality steel plate construction
- Hinged doors mounted on the right with fulcrum pin
- Air vent at the top and bottom of the housing cover
- Key Lock locking system (locking system with padlock on request)
- Storage option according to DIN 4547-2011
- 1 hat rack
- 1 clothes rack with 3 hooks
- 1 towel holder





Versatile locking systems

Cylinder locks, numeric combination locks, coin deposit locks, locking systems for padlocks and master key systems are available.

53.259.516



Clothes locker

with hinged doors and divider

Height **1950** × width **1000** × depth **500** mm

Colour Art. no. RAL 7035 RAL 7016 53.079.516

Specifications

- High-quality steel plate construction
- Solid sheet hinged doors with rotary-type security lock, including two keys
- Housing load capacity 500 kg with an evenly distributed load
- 4 shelves (usable width $1 \times 982 \, \text{mm} / 3 \times 481 \, \text{mm}$), height-adjustable, galvanised
- 1 coat rod with 3 plastic hooks
- Load capacity per shelf 60 kg
- Supplied fully assembled and ready to use



Also available with viewing window doors on request.

Art. no. 53.080.514



Hinged door cabinet

Height **1950** × width **1000** mm

Colour RAL 7035 RAL 7016
 Depth
 Art. no.

 400 mm
 82.947.516

 500 mm
 62.487.516


Specifications

- High-quality steel plate construction
- Solid sheet hinged doors with rotary-type security lock (including two keys)
- Housing load capacity 500 kg with an evenly distributed load
- 4 shelves, galvanised
- Load capacity per shelf 60 kg
- Supplied fully assembled and ready to use



Hinged door cabinet

Height $1950 \times \text{width } 1000 \, \text{mm} \times \text{depth } 580 \, \text{mm}$



* including thermal protection according to CH Directive



Fittings

- 2 hinged doors made of solid sheet steel
- 2 power strips with On/Off switch mounted on side panel
- 4 shelves, galvanised, load capacity 60 kg

Solid sheet shelving unit with side panels

Height $2000 \times \text{width } 1000 \times \text{depth } 500 \text{ mm}$

Product	Colour	Art.no.
Base unit	nal vanisa d	53.534.222
Add-on unit	galvanised …	53.535.222

Specifications

- High-quality steel plate construction
- Galvanised version guarantees optimum surface protection
- Can be expanded at any time by adding modules
- Shelf load 160 kg with an evenly distributed load

- 2 solid sheet side panels including base plates
- 6 plain shelves (load capacity 160 kg)
- 1 diagonal brace

Add-on unit

- 1 solid sheet side panel including base plates
- 6 plain shelves (load capacity 160 kg)

Floor anchoring



For single shelf units, 2 per side panel or 2 per pair of shelf supports.

Floor anchor	Art.no.	
M8 × 80. per piece	130.555.000	

Diagonal brace

Used instead of rear panels to stabilise shelving lengthwise. Including screw fasteners. For every third add-on unit, a diagonal brace is needed.

Art. no. galvanised steel 50.026.000



TM-Modular-Starter

Height **2100** × width **805** × depth **695** mm

Colour **RAL 7035** RAL 7016 53.598.516

Specifications

- High-quality steel plate construction
- Housing load capacity up to 4000 kg
- Can be expanded at any time by adding modules
- Supplied fully assembled
- 2 shelves in dove grey, load capacity 75 kg
- 6 drawers (2 × 100 mm, 2 × 150 mm, 2 × 200 mm), load capacity 75 kg, 100 % full extension
- 1 pallet base without front cover
- "Key Lock" locking system with single-drawer blocking system, including 2 keys

Partition material

Product Art. no. Set for drawer cabinet 53.437.000 2×FH 100mm 2×FH 200 mm 2×FH 150 mm





6 × lengthways partitioning 16 × horizontal partitioning



 $\begin{array}{l} 4\!\times\! \text{lengthways partitioning} \\ 6\!\times\! \text{horizontal partitioning} \end{array}$





Product video at www.thurmetall.com









TM Elegance

Our best quotes for you!



The use of high-quality materials, state-of-the-art machine technology and environmentally sustainable production processes, ongoing quality control and a highly motivated team of employees guarantee durability in timeless design at an impressive price/performance ratio.

Quality

Thur Metall drawer cabinets made of high-quality sheet steel with matching workbenches are favourites in industry and business. In assembly halls and workshops, in research labs, museums and hospitals, in small-parts warehouses and showrooms: Thur Metall is a must wherever tools, warehouse goods and small parts are required and offers an optimised space-saving solution for easy access

■ 5-year warranty

You can rely on our quality products. That's why we offer our customers a 5-year warranty on the entire range of Thur Metall products. Workbench tops and electronic parts are covered by a warranty period of 1 year.

Certified production

Manufacturing of Thur Metall products is based on the following standard principles:

ISO 9001: Quality management,

ISO 14001: Environment management system and **ISO 45001:** Occupational health and safety management system.

We guarantee high-quality surfaces

using the latest powder coating technology for high abrasion resistance.

Only available from the specialist trade:





Further attractive products can be found on www.thurmetall.com

